

**Meeting recorder** 

#### 360° recording

## POCKET MEMO



LFH0955

# Make every meeting a success

## with 360° recording

Designed to capture your meetings, the Pocket Memo meeting recorder provides excellent sound quality combined with easy-to-use technology. The extendibility of components lets the system grow with the needs of your business.

#### Superior audio quality

- 360-degree sound pick-up for optimal recording
- High recording quality in DSS, MP3 and PCM format
- · Extendable solution for increased recording range
- · Innovative meeting microphones for suberb recording quality

#### Easy and intuitive experience

- Built-in wire storage for adjusting cable length
- · Elegant metal carrying case for portability

#### **Designed around you**

- SpeechExec workflow software for fast document creation
- Easy to use out-of-the-box solution for instant use
- · Exchangeable memory card for unlimited recording
- Automatic file download via USB for quick transcription



#### SpeechExec software



The SpeechExec software organizes the workflow of dictation files and resulting documents between author and transcriptionist and allows you to monitor the status of your work.

#### Innovative meeting microphones



The innovative boundary layer design of the included meeting microphones uses the sound pressure of the table to provide excellent sound and recording quality with a 360 degree sound pickup radius.

#### DSS, PCM and MP3 recording



The DSS format was developed for use in digital voice recorders, permitting a high compression ratio with little loss of quality while enabling you to store additional information in the file header. The PCM format allows stereo recording in CD-like audio quality and the MP3 format is the common audio format for consumer audio storage, as well as a de facto standard encoding for the transfer and playback of music on digital audio players.

#### Exchangeable memory card



Virtually unlimited recording capacity thanks to an exchangeable memory card.

#### **Extendable solution**



Easily extend the recording range of your Pocket Memo meeting recorder by simply connecting up to six meeting microphones.

#### Automatic download via USB



When plugged in, the Pocket Memo dictation recorder automatically downloads your audio files directly onto the computer.

#### **Out-of-the-box solution**



The Pocket Memo meeting recorder delivers excellent sound quality combined with easy-to-use technology right out of the box.

#### Elegant metal carrying case



The elegant metal carrying case guarantees highest mobility and safe transportation.

#### 360-degree sound pick-up



Sound pick-up from a 360-degree radius for a perfect recording experience.



LFH0955

## Specifications

#### What is included?

- Meeting microphones: 4
- USB docking station
- Click-on interview microphone
- Pocket Memo meeting recorder
- USB to SD card adapter

#### Connectivity

- Headphones: 3.5 mm
- Microphone: 3.5 mm
- USB: High-speed USB 2.0
- Docking connector
- Memory card slot

#### Display

#### • Type: LCD

- Diagonal screen size: 44 mm/1.7 in.
- Backlight: white

#### Storage media

- Exchangeable memory card
- Memory card types: Secure Digital (SD), Secure Digital (SDHC)
- Mass storage class compliant

#### Audio recording

- Recording formats: Digital speech standard (DSS), MPEG1 layer 3 (MP3), PCM (WAV)
- Built-in microphone: mono
- Recording modes: PCM (WAV/stereo), XHQ (MP3/stereo), HQ (MP3/stereo), QP (DSS/mono), SP (DSS/mono)
- Bit rate: 13.5, 27, 64, 128, 1411 kbps
- Recording time (2 GB card): 349 hours (SP), 170 hours (QP), 72 hours (HQ), 36 hours (XHQ)
  Sample rate: 44.1 kHz (PCM/SHQ), 32 kHz (HQ),
- 16 kHz (QP), 12 kHz (SP)

#### Sound

- Speaker type: built-in round dynamic speaker
- Speaker diameter: 30 mm
- Speaker output power: 200 mW
- Frequency response: 300–8,000 / 50–20,000 (PCM/XHQ), 300–8,000 / 50–15,500 (HQ), 300–7,000 (QP), 300–5,700 (SP) Hz

#### **Meeting microphone**

- Design: boundary layer microphone
- Type: electret condenser microphone
- Impedance: approx. 2.2 kOhm @ 1 kHz
- Sensitivity: -38 dBV
- Frequency response: 30–18,000 Hz
- Phantom supply voltage: 1.5–5 V/0.5 mA
- Connector: 3.5 mm
- Audio jack (for cascading): 3.5 mm
- Cable length: 2 m/6.5 ft.
  Product dimensions (W × D × H): 13 × 13 × 1.8
- cm/5.1 × 5.1 × 0.7 in.
- Net weight: 0.108 kg/0.238 lb.

#### **Clip-on interview microphone**

- Connector: 3.5 mm
- Type: electret condenser microphone
- Impedance: approx. 2.2 kOhm @ 1 kHz
- Sensitivity: -42 dBV
- Frequency response: 40-18,000 Hz
- Phantom supply voltage: 1.5–5 V/0.5mA per channel

#### Convenience

- Expandable through cascading
- 360 degree sound pick-up
- Control via remote control
- USB powered recording
- Multiple language support: 4 languages
- Author ID setting
- File lock
- Priority setting
- Exchangeable memory card
- Voice-activated recording
- Automatic software updates

#### Convenience

- Voice volume indicator
- Instant one-touch recording
- Voice-activated recording
- Keypad lock
- Firmware upgradeable
- Variable playback speed

#### Power

- Battery type: AAA/LR03 Alkaline, Philips AAA Ni-MH LFH9154
- Number of batteries: 2
- Rechargeable: yes, via USB
- Battery lifetime: up to 23 hours in SP recording mode
- Batteries included: rechargeable

#### System requirements

- Processor: Pentium III 500 Mhz, Pentium IV 1GHz recommended
- RAM memory: 256 MB (1 GB recommended)
- Hard disk space: 100 MB for SpeechExec, 250MB for Microsoft .NET
- Headphone output or speakers
- Operating system: Windows 8/7/Vista (32/64 bit), Mac OS X 10.8/10.7
- Free USB port
- DVD-ROM drive
- Sound card

### Green specifications

- Compliant to 2002/95/EC (RoHS)
- Lead-free soldered product

#### Accessories

- SpeechExec Dictate software
- Remote control
- Metal carry case
- USB cable
- Power supplySplitter cable
- Secure Digital memory card
- USB dock
- 2 × AAA Ni-MH batteries



Issue date 2013-07-29 Version 2.1

© 2013 Speech Processing Solutions GmbH. All rights reserved.

Specifications are subject to change without notice. Philips and the Philips' shield emblem are registered trademarks of Koninklijke Philips N.V. and are used by Speech Processing Solutions GmbH under license from Koninklijke Philips N.V. All trademarks are the property of their respective owners.

www.philips.com/dictation